



THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Patent Application of:

Gunther Bellmann et al.

Serial No.: 10/665,937

Filed: September 18, 2003 For:

Dexamethasone Gel

Docket No.:

P02428-C1

Examiner:

Zohreh Fay

Art Unit:

1618

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Appeal Brief - Patents, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on April <u>4</u>, 2007.

APPEAL BRIEF AND REPLY TO NOTIFICATION OF NON-COMPLIANT APPEAL BRIEF

Mail Stop Appeal Brief – Patents Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

This communication is filed in response to the Notification of Non-Compliant Appeal Brief dated March 28, 2007. By Notice of Appeal filed on April 25, 2006, Applicant appeals the Final Rejection in the above-identified application dated February 1, 2006, and submits this substitute Brief, in which Sections III and V have been revised. If any fees are due, such fees may be charged to Deposit Account No. 02-1425.

I. Real Party in Interest

The real party in interest in this appeal is Bausch & Lomb Incorporated and its subsidiary Dr. Gerhard Mann Chem.-Pharm. Fabrik GMGH, as evidenced by the Assignment recorded at Reel 011030, Frame 0891 in parent application Serial No. 09/486,460.

II. Related Appeals and Interferences

Applicant is not aware of any other appeals or interferences which will directly affect, be directly affected by, or have a bearing on the Board's decision in this appeal.

III. Status of Claims

Claims 1-6 have been canceled.

Claims 7-16 are currently pending.

Claims 7-16 stand rejected.

Claims 7-16 form the basis of this appeal.

IV. Status of Amendments

No amendments have been filed following the Final Rejection of February 1, 2006.

V. Summary of Claimed Subject Matter

Independent claim 7, the sole independent claim, defines an ophthalmic gel preparation comprising: dexamethasone dihydrogenphosphate disodium (page 3, lines 14-16; page 5, lines 4-10; original claim 4); a gel forming, pharmaceutically acceptable substance in

an amount effective for adjusting the viscosity of the preparation so that the preparation has the form of a gel (page 3, lines 17-23; page 4, lines 4-5; original claim 1); and a pH regulating component in an amount effective to provide the preparation with a pH value above 7.3 (page 4, lines 4 and 16-19; original claim 5). Dependent claim 8 defines a more preferred pH value range of between 7.6 and 8.2.

The presently claimed invention recognized that ophthalmic gel preparations comprising dexamethasone dihydrogenphosphate disodium not only should be effective and non-irritating to eye tissue, but also should have sufficiently long shelf-life stability so that the formulations do not lose their effectiveness while stored. Specifically, it was found that the addition of a gelling agent, such as a carbomer, to an ophthalmic gel preparation comprising dexamethasone dihydrogenphosphate disodium, at near neutral pH (pH 7 to about 7.3), resulted in considerable decomposition of the dexamethasone active (page 3, lines 9-15). According to the present invention it was surprisingly found that an increase of the pH value above 7.3 may avoid the foregoing decomposition problems (page 4, lines 1-4). Accordingly, the presently claimed invention refers to an ophthalmic gel preparation with a pH value above 7.3. (See, for example, specification page 3, line 5 to page 4, line 4).

VI. Grounds of Rejection to be Reviewed on Appeal

The sole ground of rejection raised by this appeal is:

Whether claims 7-16 were improperly rejected as unpatentable under 35 USC § : 103(a) over Mazuel et al. (US 4,861,760), Rozier (US 5,304,559) and GB '091 (GB 2007091).

VII. Argument

Claims 7-16 were improperly rejected as unpatentable under 35 USC § 103(a) over Mazuel et al. (US 4,861,760), Rozier (US 5,304,559) and GB '091 (GB 2007091).

A. The Cited References

Mazuel et al. discloses pharmaceutical compositions intended to be administered as a non-gelled liquid form and intended to gel in situ. The compositions contain a certain polysaccharide in aqueous solution, the polysaccharide being the type which undergoes liquidgel phase transition so as to gel in situ under the effect of an increase in ionic strength of the physiological fluid (e.g., lacrimal fluid). See, for example, the Abstract.

Rozier discloses pharmaceutical compositions containing at least one 4-quinolone derivative. Rozier is concerned with preventing crystal growth of these compounds in suspension. There is no mention of storage stable dexamethasone-containing formulations, nor is there any indication that a pH value above 7.3 may be used to increase the stability of a pharmaceutical preparation. In contrast, Rozier teaches that in order to obtain increased stability, an active compound may be complexed with a certain divalent metal ion. See, for example, the Abstract.

GB '091 discloses ophthalmic compositions in the form of a gel, comprising an aqueous solution of a carboxyvinyl polymer, a water-soluble basic substance, and an ophthalmic drug admixed therewith, the gel having a pH of 5 to 8 and a viscosity of 1,000 to 10,000 centipoise at 20°C. See, for example, the Abstract. Among Examples 1-40, only

· : . •

Examples 6 and 28 have a pH value above 7.3, and these examples do not include a dexamethasone.

B. Claims 7 and 9-16

First, it is submitted the cited references teach away from the presently claimed invention.

In Example 3 of Mazuel et al., dexamethasone phosphate solutions are disclosed, but the solutions of Mazuel et al. are designed to gel only upon contact with the eye's liquids. At the Abstract and at column 2, lines 16 et seq., Mazuel et al. explicitly states that the invention relates to a pharmaceutical composition that "is intended to be administered as a non-gelled liquid form and is intended to gel in situ" meaning that the Mazuel et al. preparation forms a gel only upon contact with the physiological fluid, namely, human lacrimal fluid. Such statements are repeated throughout the cited reference; see, for example, column 2, lines 30-34:

"the composition, which takes the form of a liquid before its introduction into the eye, undergoes a liquid-gel phase transition, and hence changes from the liquid phase to the gel phase, once it is introduced into the eye, as a result of the ionic strength of the physiological fluid which is in this case, the lacrimal fluid.

See, also, column 2, lines 56 to 61:

"Furthermore, in the case of already gelled or semi-gelled solid compositions, it is not possible to administer them by volumetric means, especially when they come from a multi-does container."

Applicant is mindful that the Examiner is entitled to give the claims their broadest reasonable interpretation. However, it is submitted that the present claims do not read on a

formulation that gels upon exposure to eye fluid. First, claim 7 clearly states the preparation has the form of a gel. Second, claim 7 states the preparation has a pH above 7.3 – what would the pH value of the Mazuel et al. formulation be after contacting eye fluid? There is no evidence in Mazuel et al. that such later-formed gels have a pH value above 7.3; in fact, the properties of the later-formed gels are not disclosed at all in this reference. Thus, Mazuel et al. teaches away from the storage-stable gel preparations defined in the rejected claims.

Second, no *prima facie* case of obviousness has been established. It is submitted the rejection relies on selectively choosing various limitations of the present claims from the various cited references, without the requisite motivation.

Mazuel et al., as pointed out above, does not even relate to an ophthalmic preparation having the form of a gel and having the components and pH values defined in the rejected claims. Rozier does not mention storage stable dexamethasone-containing formulations, nor is there any indication that a pH value above 7.3 may be used to increase the stability of a pharmaceutical preparation. In contrast, as pointed out above, Rozier teaches that in order to obtain increased stability, this problem is addressed by complexing the active compound with a certain divalent metal ion. GB '091 discloses, as pointed out above, ophthalmic compositions in the form of a gel, comprising an aqueous solution of a carboxyvinyl polymer, a water-soluble basic substance, and an ophthalmic drug admixed therewith, the gel having a pH of 5 to 8 and a viscosity of 1,000 to 10,000 centipoise at 20°C. Among Examples 1-40, only Examples 6 and 28 have a pH value above 7.3, and these examples do not include a dexamethasone.

In summary, none of the cited references: recognizes any problem with stability of dexamethasone dihydrogenphosphate disodium-containing gel preparations; suggests adjusting pH to any value (let alone the pH value in the present claims) to solve the problem of storage stability for such preparations; nor discloses dexamethasone dihydrogenphosphate disodium-containing gel preparations with the claimed pH range.

At best, GB '091 discloses that gel preparations may have a pH of 5 to 8. However, Applicant submits that since GB '091 recognizes no criticality of pH value, and recognizes no problem with storage stability of the pharmaceutically active component, the GB '091 disclosure actually evidences the non-obviousness of the presently claimed invention.

Stated differently, it is true, as implicitly asserted in past rejections, that various formulations having a pH value within the range recited in the rejected claims were known. However, the cited references do not provide the requisite motivation to select a pH value above 7.3 for the claimed dexamethasone dihydrogenphosphate disodium-containing gel preparations.

Third, Applicant has confirmed the stability data discussed in specification page 5, thereby rebutting any *prima facie* case of obviousness. As previously presented in the Preliminary Amendment filed September 18, 2003, Applicant submitted stability data for an ophthalmic gel preparation of dexamethasone dihydrogenphosphate disodium. (Additional information submitted with the Preliminary Amendment filed September 18, 2003, is included in Appendix XI.) Formulation 1 corresponds to the presently claimed invention. Formulation C1 is a similar formulation but the pH value was adjusted to 6.3 to 7.3. Formulation C1 exhibited an unacceptable decrease in the amount of dexamethasone dihydrogenphosphate

disodium. In contrast, Formulation 1 of the present invention exhibited only about 1% decomposition of dexamethasone dihydrogenphosphate after 18 months.

The relevant data from the attached sheets is reproduced below.

Formulation 1

Component	Amount (g)	Weight %
Carbopol 980	3.00	0.300
Dexamethasone-Na-	1.107	0.1107
Phosphate		
Cetrimide	0.100	0.0100
Na-edetate	0.100	0.0100
Sorbitol	49.00	4.900
NaOH	1.50	0.15
Water	945.193	94.5193
Total	1000.00	100%
pH Specification	7.6-8.0	

Formulation C1

Component	Amount (g)	Weight %
Carbopol 980	1.5	0.30
Dexamethasone-Na-	0.4925	0.09850
Phosphate		
Cetrimide	0.05	0.01
Na-edetate	0.05	0.01
Sorbitol	24.50	4.900
NaOH	0.60	0.12
Water	472.8075	94.5615
Total	500.0000	100%
pH Specification	6.3-7.3	

Formulation 1

Storage (Conditions
-----------	------------

	Months	21°C/45%	25°C/60%	30°C/70%
Content (%) of	0	102.0		
Dexamethasone	3	99.0	99.8	100.1
	6	99.6	101.6	101.1
	9	102.3	101.7	101.6
	12	99.7	98.3	97.6
	18	101.3	100.9	99.1
Decomposition (%)	0	0.2		
of Dexamethasone	3	0.2	0.2	0.2
	6	0.4	0.5	0.5
	9	0.5	0.5	0.6
	12	0.5	0.6	0.7
	18	0.7	0.7	0.8

Formulation C1

Storage	Conc	łi	tin	ns
Diviago	CULI	41		113

	Months	21°C/45%	26°C/60%	31°C/70%
Content (%) of	0	96.2		
Dexamethasone	3	95.7	96.2	94.5
	7	95.8	94.7	92.5
	12	95.1	91.7	89.2
	18	86.3	86.0	83.9
Decomposition (%)	0			
of Dexamethasone	3	1.4	1.6	1.8
	7	2.4	2.9	3.1
	12	3.6	3.5	4.0
	18	10.7	11.2	12.9

This stability data confirm, as disclosed in the present specification, that if gel formulations of dexamethasone dihydrogenphosphate disodium are prepared at a pH value above 7.3, the formulations will provide a storage stability required for pharmaceutical preparations.

C. Claim 8

Dated: April 4, 2007

For the same reasons stated in section VII.B., supra, the Section 103(a) rejection is

improper as to dependent claim 8.

Additionally, it is submitted that the references especially do not suggest a

dexamethasone dihydrogenphosphate disodium-containing gel formulation having a pH value

between 7.6 and 8.2, as defined in claim 8. Also, to the extent the Examiner has criticized the

stability data previously presented as not commensurate in scope with the claims, applicants

note Formulation A of this stability data employs a pH value of 7.6 to 8.0.

In light of the foregoing arguments, applicants request that the outstanding rejection be

reversed and that the pending claims 7-16 be allowed.

Respectfully submitted,

John E. Thomas

Registration No. 34,070

BAUSCH & LOMB INCORPORATED

One Bausch & Lomb Place

Rochester, NY 14604-2701

Telephone: (585) 338-8969

-10-

VIII. Claims Appendix

The claims under appeal are as follows:

- 7. An ophthalmic gel preparation comprising:
- dexamethasone dihydrogenphosphate disodium;
- a gel forming, pharmaceutically acceptable substance in an amount effective for adjusting the viscosity of the preparation so that the preparation has the form of a gel; and
- a pH regulating component in an amount effective to provide the preparation with a pH value above 7.3.
- 8. The preparation according to claim 7, wherein the preparation has a pH value between 7.6 and 8.2.
- 9. The preparation according to claim 8, wherein the preparation has a pH value between 7.8 and 8.0.
- 10. The preparation according to claim 7, wherein the gel-forming substance comprises a carbomer.
- 11. The preparation according to claim 10, wherein the gel-forming substance is a carbomer of the type Carbopol 980 NF.
- 12. The preparation according to claim 10, wherein the preparation comprises 0.05 to 1% by weight of the carbomer.
- 13. The preparation according to claim 12, wherein the preparation comprises 0.1 to 0.6% by weight of the carbomer.
- 14. The preparation according to claim 7, further comprising benzododecinium chloride.

- 15. The preparation according to claim 7, further comprising an isotonic agent and gelating agent.
- 16. The preparation according to claim 15, wherein the isotonic agent comprises sorbitol and the gelating agent comprises sodium edetate.

IX. Evidence Appendix

Attachments to Preliminary Amendment Filed September 18, 2003

Formulation 1 Discussed in Section VII.B

Dr. Maon Pharma - Berlin

Formulation & 1

Prä	parat:		ChBez.							
	remelhas	. 6.1	CIIBez.	:	Ansatzg		He	rstellda	lum	TEIL
		. B. Grund der He			1Kg		1			1
Lfd.			erstellung):				Pri	rsteller: ifer (Tei ifdatum	11:30	115°
Ma. Nr.	WE-Nr.	Bezeichnung				Einwa	age	Gehall	nach	Analyse
						(g)	mg/g	der D	eklaration
1	086 9036	Carbopol 95	70			3,60				
	0450268	Veramet has	m - 21-diliya	regon sut	Cat *	1.10			10	2.8
3	0560360	Cetrimid		, ,-,,	41. 0.11 9	0,486	,			7%
7	0160055	Na-edetat				8,180				
5	076032	Sorbital				49.88				
5	07602 14	Na 1H, Fest				1,50				
7	/	dest. Wasser				4	1			
									*:	
	<u> </u>	* 120-behalt	ler Sahstans	heachte	=1105	0454	02			

;÷)

Stability test Jexamethason Gel

Batch number.

Batch size:

•)

(÷:)

Container: Place ofmanufacture:

Date of manufacture:

Date of storage:

Test date 10/98 02/97 05/97 08/97 11/97 05/98

1 kg

5 g Polyfoll tubes

Dr. Mann Pharma, Berlin

months

Formulation & 1 pH 7.6-8.0

Prod, r

page 1

02/98	10	,		·	_ page I
Test for	Specification	Months		orage conditio	
•	(release)		21 °C/45 %	25 °C/60 %	30 °C/70 %
Content [%]		0	102.0		
Dexamethasone	95 - 105	3	99.0	99.B	100.1
sodium phosphate		6	99.6	101.6	101.1
		9	102.3	101.7	101.6
		12	99.7	98.3	97.6
	Į.	18	101.3	100:9	99,1
Decomposition (%)		0	0.2		
Dexamethasone	n.m.t. 3	3	0.2	0.2	0.2
		6	0.4	0.5	0.5
		9	0.5	0.5	0,6
	1	12	0.5	0.6	0.7
	1	18	0.7	0.7	0.8
Content [%]		0	99.7		
Cetrimide	90 - 110	3	99.3	100.3	99:6
Ocu a migo		6	98.3	99.0	.99.0
	<u> </u>	9	100.5	99.0	100.0
	•	12	100.2	99.2	99.4
•	4	18	99.5	100.6	101.4
	 	0	88.4		
Transmission [%]	n.i.t. 85	3	89.6	89.7	87.0
Hariaintasion [vo]	1,1,1,2,5	6	88.8	88.9	89.0
	1 :	9	. 66,6	89.3	89.2
•		12	89.3	88.6	89.5
		18	87.0	88.9	87.5
		0	7.7		
pH value	7.6 - 8.0	3	8.0	7.9	7.9
pri valuo	,,,,	6	7.7	7.7	7.7
		9	7.7	7.7	7.6
		12	7.7	, 7.7	7.7
		18	7.8	7.8	7.7
Osmolality		0	305		
(mosmol/kġ)	. 290 - 320	3	303	304	304
(1),-2,1,-21		6	304	305	306
		9	312	307	308
		. 12	308	307	307
		18	305	306	306
Viscosity		0	3075		
[mPa·s]	2400 - 3400	3	2802	3451	3308
		8	3502	3158	3403
		9.	2877	3178	3209
		12 .	3022	3175	3132
	•	18	3691	3804_	3428

Stability test:

Dexamethason Gel

Prod:

Batch number. Batch size:

ch size:

Container.

1 kg 5 g Polyfoil tubes re: Dr. Mann Pharma, Berlin

Place of manufacture: Date of manufacture:

Date of storage:

Test date 10/96 02/97 05/97 months
. 0
. 3
. 6
. 9

08/97 9 11/97 12 05/98 . 18

Specification (release) B 9	Months 0	21 °C/45 %	orage condition	
	0	21 °C/45 %		
Rg	0			30 °C/70 %
RQ	_	B 9		
- U	· 3	B 9 .	B 9	B 9
	6	B 9	В9	B 9
	9	B9 ·	B 9	B 9
•	12	B9	. В9	89
	18	B9	. B 9	B 9
	0	n.m.t. IV		
	3	n.m.t. IV	n.m.t. IV	· n.m.Ł IV
opalescence IV		n.m.t. IV	n.m.t. IV	n.m.t IV
	9	n.m.t. IV	n.m.Ł tV	n.m.Ł IV
	12	n.m.t. IV	n.m.t IV	n.m.t. IV
·	18	n.m.t. IV	n.m.t. IV	n.m.t. IV
sterile	0	sterile		•
	.m.t.standard of opalescence IV sterile	12 18 0 .m.t.standard of 3 opalescence IV 6 9 12 18	12 B9 18 B9 0 n.m.t. IV compalescence IV 6 n.m.t. IV 12 n.m.t. IV 12 n.m.t. IV 18 n.m.t. IV	12 B9 B9 18 B9 B9 .m.t.standard of palescence IV 6 n.m.t. IV

Formulation C1 Discussed in Section VII.B

		Dr	. Mann Pharma -	Berlin			. f	-o/n	nulation A
HERSTEL	LBERICHT	FÜR ENTWICKLU	NGSCHARGEN		- λ ı	ngen	gele -		
Prāpara Okanu	it: <u>cllasty</u> -	लें	Ch-Bez.:	Ansacz		Hers	stellda	tum	TEIL
Bemerku	ngen (z.B	. Grund der H	erstellung):		م مرابعاً الجد	Hei	rstelle: ifer (To	r: t	1): +0
Lfd.Nr.	WE-Nr.	Bezeichnung			Einwa (g		Gehalt (mg/	naci	Analyse Deklaration (1)
_1	5612	Carcapae 380			15	<u> </u>			
<u>.</u>	1130227	Recomeliasa	-Na-phosphat	•	0.49	<u>15</u>			96.14
13		atrimid	· · ·		0.0	5			95.90
Ý	LOI DISO	Edirinaine	i Hi plus		0.0	స్త			
5	087.0086	Sorbitel	•		34.	50			
6	0330039	NO OH, Est			0.6	.g			
‡		wenne für.	Livet tions week	ı	472.	<i>जिं</i> ड			

HERSTELLUNG:

BESONDERHEITEN BEI DER HERSTELLUNG: Zuidu Cinwaagt von Derom duacon-Mo-plublat wurdt die Nacologilials von 1.65: midd berückoidstigt.

Chargennummer

.. 190 Pra

Chargengröße Behältnis Herstellungsort Herstelldetun Erstuntersuchung Einlagerungsdatum Prüfdatum

: 500 g

: 5 g-Polyfoil-Kandlentube, Innembeschichtung: HDPE : Dr. Harm Pharma, Berlin

: Monate

Formulation ACI pH 6.3 - 7.3

05/94 07/94 02/95 08/95 3 7 12 18

Profung au	f Spezifi- kation	Lager- zeit		Lagerungsb	edingunge	n
		in Hon	. 5°c	21°C/452	26°C/60x	31°C/70X
Gehalt in X Dexamethasor dihydogen- phosphat	90 - 105	0 3 7 12 18	96,8	96,2 95,7 95,8 95,1 86,3	96,2 94,7 91,7 86,0	94,5 92,5 89,2 83,9
Gehalt in X Cetrinid	90 - 105	0 3 7 12 18	:	95,9 101,3 98,0 100,2	101,6 97,7 99,3	99.0 97,4 99,3
Dexamethason in X	max 10 %	0 3 7 12 18	0,7	n.n. 1,4 2,4 3,6 10,7	1,6 2,9 3,5 11,2	7,8 3,1 4,0 12,9
Transmission in I (bei 425 mm)	> as x	0 3 7 12 18	95,2	91,8 95,3 93,1 94,9	94,6 93,6 94,3	95,4 93,9
pH-Vert	6,3 - 7,3	0 3 7 12 18	7,0	7,2 7,0 7,0 6,9 7,1	7.0 7.0 6.9 7,0	7.0 7.0 7.0 7.0
Ozmolalitāt (mosm/kg)	285 - 335	0 3 7 12	304	304 300 301 328	298 300 299	301 303 303
Leitfähigkeit (#5/cm)	7 - 12	0 3 7	9,9	8,7 10,1	10,2	10,0
Brechungsindex (n _b)	1,339 - 1,341	0 3 7	1,3407	1,3408 1,3406 1,3407	1,3405 1,3406	1,3404 1,3406
Viskoeität (mPa·s)	3000 - 3000	0 3 7 12 18	2622	2844 2642 2550 2911 2918	2652 2799 2875 2857	2734
Ausschen	klar (DAB 10/ Ph. Eur.)	0 3 7 12 18	klar	klar klar klar klar klar	klar klar klar klar	klar klar klar klar
farbe	8 9 ' (DAB 10/ Ph. Eur.)	0 3 7 12 16	8 9 -	8 9 8 9 8 9 8 9	8 9 8 9 8 9 8 9	8 9 8 9 8 9
ikrobiolog. ualität	steril	0		steril		

n.m. = nicht nachweisbar - = nicht untersucht

-20-

X. Related Proceedings Appendix

(None)

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
D GRAY SCALE DOCUMENTS
VI LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
□ OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.